Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

...1926...

PRICE LIST

of

Collected Native Trees Shrubs and Plants



FOR SALE BY

L. E. WILLIAMS

EXETER, N. H., U. S. A.

I buy and sell Nursery Grown Stock, both fruit and ornamental, and can supply anything you need in this line at reasonable prices.

Member A. A. N.



LOCATION.

Exeter is located 50 miles northeast of Boston on the Boston and Maine railroad in direct communication with Boston and New York.

Our shipping season begins about the middle of April and lasts until June 1st and from September until the middle of November.

TERMS.

Terms net cash unless otherwise arranged.

Parties unknown to me must send cash or good reference.

Boxing and packing at cost.

Not less than 50 and 500, unless otherwise arranged for, will be furnished at 100 and 1000 rates respectively.

I am ready to correct my errors and mistakes, but complaints must be made upon receipt of stock, or they cannot be entertained.

As I have no control over the transportation, planting, and weather I can assume no responsibility after delivering the stock for transportation.

REMARKS.

I furnish trees and shrubs of any size suitable for transplanting, and a large number of shrubs and plants not quoted in this list.

I have an especially fine lot of Viburnums, Cornus, Vacciniums and Ferns.

A certificate of inspection is attached to all shipments and of fumigation when required by law or requested.

BULBS

| | 10 | 100 | 1000 |
|--------------------------------------|--------|--------|---------|
| Arisaema triphyllum | \$1.00 | \$5.00 | \$35.00 |
| Calla palustris | 1.00 | 5.00 | 35.00 |
| Calopogon pulchellus | 2.00 | 10.00 | |
| Erythronium Americanum | 1.00 | 4.00 | 35.00 |
| Lilium Canadense, extra large bulbs. | 2.00 | 15.00 | |
| " first size | 1.00 | 5.00 | 40.00 |
| " second size | .75 | 3.50 | 30.00 |
| " " flavum | 1.50 | 6.00 | 50.00 |
| " rubrum | 1.50 | 7.50 | 60.00 |
| " Philadelphicum, first size | 1.00 | 5.00 | 40.00 |
| " second size | .50 | 3.50 | 30.00 |
| " Superbum, extra large | 2.00 | 15.00 | |
| " medium | 1.00 | 6.00 | 50.00 |
| " Tigrinum | 1.00 | 6.00 | |
| Mertensia Virginica | 1.00 | 5.00 | 40.00 |
| Nymphaea advena | 1.00 | 4.00 | 35.00 |
| " odorata | 1.00 | 4.00 | 35.00 |
| Sagittaria Engelmanniana | 1.00 | 5.00 | |
| " latifolia | 1.00 | 5.00 | |
| Sanguinaria Canadensis | 1.00 | 4.00 | 35.00 |
| Trillium erectum | 1.00 | 4.00 | 30.00 |
| " grandiflorum | 1.00 | 4.00 | 30.00 |
| " undulatum | 1.00 | 5.00 | 40.00 |
| FERNS | | | |
| | | | |
| Adiantum pedatum, large | \$1.00 | \$5.00 | \$35.00 |
| " small | .50 | 3.00 | 25.00 |
| Asplenium ebeneum | 1.00 | 4.00 | 35.00 |
| " Filix foemina | 1.00 | 5.00 | 40.00 |
| Aspidium acrostichoides, large | 1.00 | 5.00 | 40.00 |
| small | .50 | 3.00 | 25.00 |
| " cristatum, large | 1.00 | 5.00 | 40.00 |

| | 10 | 100 | 1000 |
|---|-------|--------|---------------|
| Aspidium cristatum small | \$.50 | \$3.00 | \$25.00 |
| " Clintoniana, large | 1.00 | 5.00 | 40.00 |
| " small. | . 50 | 3.00 | 25.00 |
| " Marginale, large | 1.00 | 5.00 | 40.00 |
| small | . 50 | 3.00 | 25.00 |
| " Goldieanum | 2.50 | 10.00 | |
| " Novaboracensis | 1.00 | 5.00 | 40.00 |
| " spinulosum, large | 1.00 | 5.00 | 40.00 |
| $^{\prime\prime}$ $^{\prime\prime}$ small | . 50 | 3.00 | 25.00 |
| " thelypteris | 1.00 | 5.00 | 40.00 |
| Botrychium Virginianum | 1.00 | 5.00 | |
| Camptosorus rhizophyllus | 1.00 | 5.00 | 40.00 |
| Cystopteris bulbifera | 2.00 | 6.00 | 50.00 |
| Dicksonia punctilobula | 1.00 | 5.00 | 40.00 |
| $^{\prime\prime}$ $^{\prime\prime}$ small | .50 | 3.00 | 25.00 |
| Onoclea sensibilis, large | 1.00 | 5.00 | 40.00 |
| " small | .50 | 3.00 | 25.00 |
| " struthiopteris, large | 1.00 | 6.00 | 50.0 0 |
| " small | .50 | 4.00 | 35.00 |
| Osmunda cinnamomea, large | 1.00 | 6.00 | 50.00 |
| " small | .50 | 4.00 | 35.00 |
| " Claytonia, large | 1.00 | 6.00 | 50.00 |
| $^{\prime\prime}$ $^{\prime\prime}$ small \dots | .50 | 4.00 | 35.00 |
| " gracilis | 1.00 | 5.00 | 40.00 |
| " regalis, large | 1.00 | 7.00 | 60.00 |
| $^{\prime\prime}$ $^{\prime\prime}$ small | .50 | 4.00 | 35.00 |
| Polypodium vulgare, large | 1.00 | 5.00 | 40.00 |
| $^{\prime\prime}$ $^{\prime\prime}$ small | .50 | 3.00 | 25.00 |
| Phegopteris Dryopteris | 1.00 | 5.00 | |
| Woodsia Illvensis | 1.00 | 5.00 | |
| Woodwardia angustifolia | 1.00 | 6.00 | 40.00 |
| " Virginica | 1.00 | 6.00 | 40.00 |

ORCHIDS

| | 10 | 100 | 1000 |
|---------------------------------|--------|---------|---------|
| Cypripedium acaule, extra large | \$1.50 | \$10.00 | \$75.00 |
| " large | 1.00 | 6.00 | 50.00 |
| " pubescens, per crown | 1.50 | 10.00 | 75.00 |
| " spectabile " " | 1.50 | 10.00 | 75.00 |
| Habenaria Blephariglottis | 2.00 | 10.00 | |
| " ciliaris | 1.50 | 10.00 | |
| " grandiflorum | 1.50 | 10.00 | |
| " lacera | 1.00 | 5.00 | |
| " psycodes | 1.50 | 10.00 | |
| Orchis spectabilis | 1.50 | 10.00 | |
| Peramium pubescens | 1.00 | 5.00 | 40.00 |
| " repens | 1.00 | 5.00 | 40.00 |
| Pogonia ophioglossiodes | 1.00 | 6.00 | |
| Spiranthes latifolia | 1.00 | 5.00 | |

VINES AND GROUND COVERS

| | 10 | 100 | 1000 |
|--------------------------------|--------|--------|---------|
| Ampelopsis quinquefolia, small | \$0.50 | \$3.00 | \$25.00 |
| " large | 1.00 | 5.00 | 40.00 |
| Apios tuberosa | 1.00 | 5.00 | 40.00 |
| Arctostaphylos Uva-Ursi | 1.00 | 5.00 | 40.00 |
| Celastrus scandens, seedlings | .50 | 3.00 | 25.00 |
| " 2 ft 4 ft. | 1.00 | 5.00 | 40.00 |
| Chiogenes hispidula | . 50 | 3.00 | 25.00 |
| Clematis Virginica, small | . 50 | 3.00 | 25.00 |
| " large | 1.00 | 5.00 | 40.00 |
| Clintonia borealis | 1.00 | 3.00 | 25.00 |
| Coptis trifolia | .50 | 3.00 | 25.00 |
| | | | |

| · · · · · · · · · · · · · · · · · · · | | | |
|---------------------------------------|----------------|--------|---------|
| | 10 | 100 | 1000 |
| Cornus Canadensis | \$0. 50 | \$3.00 | \$25.00 |
| Dalibarda repens | .50 | 3.00 | 25.00 |
| Epigaea repens, small, with ball | 1.50 | 10.00 | |
| " " large " " | 2.00 | 15.00 | |
| Gaultheria procumbens, with ball | 1.00 | 5.00 | 40.00 |
| Hepatica acuta, per bud | . 50 | 2.50 | 20.00 |
| " Hepatica " " | .50 | 2.50 | 20.00 |
| Lonicera Sempervirens | 2.00 | 7.50 | |
| Lycopodium complanatum | . 50 | 3.00 | 25.00 |
| " obscurum | .50 | 3.00 | 25.00 |
| Lysimachia Nummularia | .50 | 4.00 | 35.00 |
| Mitchella repens | . 50 | 3.00 | 25.00 |
| Polygala paucifolia | . 50 | 3.00 | 25.00 |
| Pyrola chlorantha | . 50 | 3.00 | 25.00 |
| " rotundifolia | . 50 | 3.00 | 25.00 |
| " umbellata | . 50 | 3.00 | 25.00 |
| " uniflora | .50 | 3.00 | 25.00 |
| Rubus hispidus | . 50 | 3.00 | 25.00 |
| Sedum acre | 1.00 | 7.00 | |
| " reflexum | .50 | 4.00 | |
| " Telephium | .50 | 4.00 | |
| Smilax herbacea | 2.00 | 10.00 | 75.00 |
| " rotundifolia | 1.00 | 5.00 | 40.00 |
| Tiarella cordifolia | 1.00 | 3.00 | 25.00 |
| Vaccinium macrocarpon | .50 | 3.00 | 25 00 |
| Veronica officinalis | . 50 | 3.00 | 25.00 |
| | | | |

MISCELLANEOUS PLANTS

| | 10 | 100 | 1000 |
|----------------------------|--------|--------|---------|
| Achillea millefolium | \$0.50 | \$3.00 | \$25.00 |
| Acorus calamus | . 50 | 3.00 | 25.00 |
| Actaea alba, per bud | 1.00 | 5.00 | |
| " rubra " " | 1.00 | 5.00 | |
| Anemone Pennsylvanicum | .50 | 4.00 | 30.00 |
| " quinquefolia | .50 | 4.00 | 30.00 |
| "thalictroides | 2.00 | 10.00 | |
| Aquilegia vulgaris | 1.00 | 5.00 | 40.00 |
| Aralia hispida | 1.00 | 5.00 | 35.00 |
| " nudicaulis | . 50 | 3.00 | 25.00 |
| " quinquefolia | 1.00 | 6.00 | |
| " racemosa | 2.00 | 15.00 | |
| Asarum Canadensis | 1.00 | 5.00 | |
| Asclepias incarnata | 1.00 | 5.00 | 40.00 |
| " syriaca | .50 | 3.00 | 25.00 |
| Aster ericoides | .50 | 3.00 | 25.00 |
| " linariifolius | .50 | 3.00 | 25.00 |
| " longifolius | .50 | 3.00 | 25.00 |
| " nemoralis | .50 | 3.00 | 25.00 |
| " Nova Angela | 1.00 | 5.00 | 40.00 |
| " Novi Belgii | .75 | 3.00 | 25.00 |
| " puniceus | .75 | 3.00 | 25.00 |
| " umbellatus | .50 | 3.00 | 25.00 |
| " undulatus | .50 | 3.00 | 25.00 |
| Baptisia tinetoria | 1.00 | 5.00 | |
| Caltha palustris | 1.00 | 3.00 | 25.00 |
| Caulophyllum thalictroides | 1.50 | 10.00 | |
| Chelone glabra | 1.00 | 5.00 | 35.00 |
| Cimicifuga racemosa | 1.00 | 5.00 | 35.00 |
| Claytonia Virginica | 1.00 | 4.00 | 35.00 |
| Desmodium Canadensis | 1.50 | 5.00 | 40.00 |
| " rigida | .50 | 3.00 | 25.00 |
| _ | | | |

| | 10 | 100 | 1000 |
|---------------------------|----------------------------------|--------|---------|
| Epilobium Angustifolium | \$1.00 | \$4.00 | \$35.00 |
| " lineare | .50 | 3.00 | 25.00 |
| Eriophioum gracile | 1.00 | 3.00 | 25.00 |
| Eupatorium purpureum | 1.00 | 5.00 | 35.00 |
| " perfoliatum | 1.00 | 5.00 | 35.00 |
| Gentiana Andrewsii | $oldsymbol{1}$, $oldsymbol{00}$ | 5.00 | 40.00 |
| " linearis | 1.00 | 5.00 | 40.00 |
| Geradia quercifolia | 1.00 | 5.00 | 40.00 |
| Hydrastis Canadensis | 1.00 | 6.00 | 50.00 |
| Inula helenium | 1.00 | 5.00 | 40.00 |
| Iris prismatica | 1.00 | 5 00 | 35.00 |
| " versicolor | 1.00 | 5.00 | 35.00 |
| Lacinaria scariosa | 1.50 | 10.00 | |
| Lathyrus maritimus | 1.00 | 5.00 | 35.00 |
| " palustris | 1.00 | 5.00 | |
| Lespedeza capitata | 1.00 | 5.00 | 35.00 |
| Lychnis Flos cuculi | 1.00 | 5.00 | 35.00 |
| Limmanthemum lacunosum | 2.00 | 10 00 | |
| Linaria Linaria | 1.00 | 5.00 | |
| Linneae borealis | 1.00 | 4.00 | 35.00 |
| Lobelia cardinalis, large | 1.00 | 5.00 | 40.00 |
| " small | .50 | 3.00 | 25.00 |
| " syphilitica | 1.00 | 6.00 | 50.00 |
| Lysimachia quadrifolia | .50 | 3.00 | 25.00 |
| " stricta | .50 | 3.00 | 25.00 |
| Medeola Virginica | 1.00 | 5.00 | 35.00 |
| Mentha piperita | .50 | 3.00 | 25.00 |
| " viridis | .50 | 3.00 | 25.00 |
| Mimulus ringens | 1.00 | 5.00 | |
| Monarda Fistulosa | 1.00 | 5.00 | 45.00 |
| Nepeta cataria | .50 | 5.00 | |
| Nepeta glechoma | .50 | 3.00 | 25.00 |

| | 10 | 100 | 1000 |
|-------------------------------|--------|--------|---------|
| Pedicularis Canadensis | \$1.00 | \$5.00 | \$35.00 |
| Peltandra Virginica | 1.50 | 10.00 | |
| Phytolacca decendra | 1.00 | 5.00 | 35.00 |
| Polygonatum commutatum | 1.00 | 4.00 | 35.00 |
| Pontideria cordata | 1.00 | 5.00 | 40.00 |
| Ranunculus, several varieties | .50 | 3.00 | 25.00 |
| Rudbeckia hirta | .50 | 3.00 | 25.00 |
| Sanguisorba Canadensis | 1.00 | 5.00 | 35.00 |
| Saponaria officinalis | 1.00 | 3.00 | 25.00 |
| Sarracenia purpurea | 1.00 | 4.00 | 35.00 |
| Solidago, several varieties | .50 | 3.00 | 25.00 |
| Tanacetum vulgare | .50 | 3.00 | 25.00 |
| Thalictrum Cornuti | 1.00 | 5.00 | 40.00 |
| Trientalis Americana | .50 | 3.00 | 25.00 |
| Typha angustifolia | 1.00 | 5.00 | |
| " latifolia | 1.00 | 4.00 | 35.00 |
| Unifolium Canadense | . 50 | 3.00 | 25.00 |
| Uvularia sessilifolia | .50 | 3.00 | 25.00 |
| Vagnera racemosa | 1.00 | 5.00 | 40.00 |
| Verbena hasatata | 1.00 | 4.00 | |
| Viola blanda | 1.00 | 4 00 | 30.00 |
| " palmata | 1.00 | 4.00 | 30.00 |
| " pedata | 1.00 | 4.00 | 30.00 |
| " Palustre | 1.00 | 4.00 | 30.00 |
| "Rostrata | 1.00 | 4.00 | 30.00 |

TREES AND SHRUBS.

The smaller sizes quoted are suitable for lining up in the nursery. The larger sizes are selected stock suitable for landscape engineers and permanent planting.

| | 10 | 100 | 1000 |
|---|------------|--------|---------|
| Acer Pennsylvanicum, 1 ft. – 2 ft | \$0.50 | \$4.00 | |
| " 2 ft. – 4 ft | 1.00 | 5.00 | |
| " rubrum, 1 ft 2 ft | 50 | 3.00 | \$25.00 |
| " 2 ft 3 ft | 7 5 | 4.00 | 35.00 |
| " 3 ft 5 ft | 1.00 | 7.50 | 50.00 |
| " saccharum, 1 ft. – 2 ft | 50 | 3.00 | 25.00 |
| " 2 ft. – 3 ft | 75 | 5.00 | 30.00 |
| " 3 ft. – 4 ft | 1.00 | 7.50 | 60.00 |
| " $5 \text{ ft.} - 6 \text{ ft.} \dots \dots \dots$ | 2.00 | 15.00 | 100.00 |
| " spicatum, 3 ft. – 4 ft | 1.50 | 10.00 | |
| Alnus rugosa, 2 ft. – 3 ft | 1.00 | 3.00 | 25.00 |
| Amelanchier Canadensis, 1 ft. – 3 ft | 1.00 | 5 00 | 40.00 |
| " 3 ft. – 5 ft | | | |
| (clumps) | 1.50 | 12.00 | 100.00 |
| "Botryapium, 1 ft. – 3 ft | 1.00 | 5.00 | 40.00 |
| " 3 ft. – 5 ft | | | |
| (clumps) | 1.50 | 12.00 | 100.00 |
| Andromeda calyculata (small) | 1.00 | 3.00 | 25.00 |
| " (large clumps) | 1.00 | 6.00 | 50.00 |
| " ligustrina | 1.00 | 5.00 | 35.00 |
| " Mariana | 1.00 | 6.00 | |
| Aronia arbutifolia, 1-2 ft | .50 | 3.00 | 25.00 |
| " | 1.00 | 5.00 | 40.00 |
| " nigra 1-2 ft | .50 | 3.00 | 25.00 |
| " " 2-4 ft | 1.00 | 5.00 | 40.00 |
| Azalea canescens, 1 ft. – 2 ft | 1.50 | 12.00 | 100.00 |
| " 2 ft 3 ft. clumps | 3.50 | 25.00 | |
| " nudiflora, 6 in. – 18 in | 1.00 | 6.00 | 50.00 |
| " " 18 in. – 3 ft. clumps | 2.50 | 20.00 | |
| | | | |

| 10 ==================================== | | | |
|---|------------|--------|---------------|
| | 10 | 100 | 1000 |
| Azalea viscosa, 1 ft. – 2 ft | \$1.00 | \$7.50 | |
| " 2 ft 3 ft | 2.00 | 15.00 | |
| " 3 ft. – 4 ft. (clumps) | 5.00 | 50.00 | |
| Betula lenta, 6 in. – 18 in | 50 | 3.00 | \$25.00 |
| " $1\frac{1}{2}$ ft. -3 ft | 7 5 | 4.00 | 35.00 |
| " 3 ft. – 4 ft | 1.00 | 6.00 | 50.00 |
| " $4 \text{ ft.} - 6 \text{ ft.} \dots$ | 1.25 | 10.00 | 75.00 |
| " lutea, 6 in. – 18 in | 50 | 3.00 | 25.00 |
| " $1\frac{1}{2}$ ft. -3 ft | 7 5 | 5.00 | 35.00 |
| " 3 ft 4 ft | 1.25 | 10.00 | 75.00 |
| " 4 ft 6 ft | 1.50 | 12.00 | 85.00 |
| " nigra, 1 ft. – 3 ft | 1.00 | 6.00 | |
| " papyracea, 6 in. – 18 in | 50 | 3.00 | 25.00 |
| " $1\frac{1}{2}$ -ft. 3 ft | 75 | 4.00 | 35 .00 |
| " 3 ft. – 4 ft | 1.00 | 5.00 | 40.00 |
| " 4 ft 6 ft | 1.25 | 10.00 | 75.00 |
| " populifolia, 1 ft. – 3 ft | 50 | 2.00 | 15.00 |
| " 3 ft. – 4 ft | 75 | 3.00 | 25.00 |
| " 4 ft. – 6 ft | 1.00 | 5.00 | 40.00 |
| Berberis vulgaris, 1 ft. – 3 ft | 75 | 5.00 | 40.00 |
| " 3 ft 5 ft. clumps | 2.00 | 15.00 | 100.00 |
| Benzoin Benzoin, 1 ft. – 2 ft | 1.00 | 7.50 | |
| " 2 ft 3 ft., clumps | 2.00 | 15.00 | |
| Castanea dentata, 6 in. – 18 in | 50 | 4.00 | |
| " 1 ft 3 ft | 1.00 | 6.00 | |
| Carpinus Americana, 6 in. – 2 ft | 50 | 3.00 | 25.00 |
| " 2 ft. – 4 ft | 75 | 5.00 | 40.00 |
| Ceanothus Americanus (clumps) | 2.00 | 15.00 | 100.00 |
| Cephalanthus occidentalis, 6 in. – 2 ft | 50 | 3.00 | 25.00 |
| " 2 ft 4 ft | 75 | 5.00 | 40.00 |
| Cercis Canadensis, 1 ft. – 3 ft | 1.00 | 4.00 | 35.00 |
| Clethra alnifolia, 6 in. – 18 in | 50 | 3.00 | 25.00 |
| " $1\frac{1}{2}$ ft. -3 ft. clumps | 1.00 | 6.00 | 50.00 |
| | | | |

| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | | 7.00 | 7.000 |
|--|---|--------------|---------------|-------|
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | Comptonia amplonifolia (amall) | 10 \$0.50 | 100 \$3.00 | 1000 |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | | | | |
| | | | | 50.00 |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | | | | |
| | | | | 25.00 |
| | circinata, 1 16. -2 16 | | | |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | 2 10 5 10 | | | |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | 5 10. – 4 10 | | | |
| | | | | |
| | 2 10 5 16 | | | |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | | | | |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | | | | |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | " 2 It. – 3 It | | | |
| | 5 10. – 4 10 | | | |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | sericea, o m. – 10 m | | | |
| " stolonifera, 6 in 18 in.50 3.00 25.00 " " 18 in 3 ft. 1.00 5.00 35.00 " " 3 ft 4 ft. 1.25 7.50 50.00 Corylus Americana, 1 ft 3 ft. 50 3.00 25.00 " " 3 ft 4 ft. 1.00 5.00 40.00 " rostrata, 1 ft 3 ft. 50 3.00 25.00 " " 3 ft 4 ft. 1.00 5.00 40.00 Crategus coccinea, 1 ft 3 ft. 1.00 7.50 " " 3 ft 5 ft. 2.00 15.00 Diervilla trifida. 50 3.00 25.00 " " clumps. 1.00 5.00 40.00 Dirca, palustris, 1 ft 2 ft. 1.00 7.50 " " 2 ft 3 ft., heavy 1.50 12.50 " " 3 ft 5 ft. 3.00 25.00 Fagus Americana, 12 in 18 in. 50 4.00 25.00 " " 18 in 3 ft. 75 6.00 | | | | |
| ""18 in. -3 ft.1.005.0035.00""3 ft. -4 ft.1.257.5050.00Corylus Americana, 1 ft. -3 ft.503.0025.00""3 ft. -4 ft.1.005.0040.00"rostrata, 1 ft. -3 ft503.0025.00""3 ft. -4 ft.1.005.0040.00Crategus coccinea, 1 ft. -3 ft.1.007.50""3 ft. -5 ft.2.0015.00Diervilla trifida503.0025.00""clumps1.005.0040.00Dirca, palustris, 1 ft. -2 ft.1.007.50"2 ft. -3 ft., heavy1.5012.50""3 ft. -5 ft.3.0025.00Fagus Americana, 12 in. -18 in.504.0025.00""18 in. -3 ft.756.00 | 5 10. – 4 10 | | | |
| | | | | |
| Corylus Americana, 1 ft 3 ft. 50 3.00 25.00 " " 3 ft 4 ft. 1.00 5.00 40.00 " rostrata, 1 ft 3 ft. 50 3.00 25.00 " " 3 ft 4 ft. 1.00 5.00 40.00 Crategus coccinea, 1 ft 3 ft. 1.00 7.50 " " 3 ft 5 ft. 1.00 7.50 " " clumps. 1.00 5.00 40.00 Dirca, palustris, 1 ft 2 ft. 1.00 7.50 " " 2 ft 3 ft., heavy 1.50 12.50 " " 3 ft 5 ft. " 3.00 25.00 Fagus Americana, 12 in 18 in. 50 4.00 25.00 " " 18 in 3 ft. 75 6.00 | 10 m. – 5 m | | | |
| " " strata, 1 ft 3 ft.1.00 5.00 40.00" " " 3 ft 4 ft50 3.00 25.00" " 3 ft 4 ft.1.00 5.00 40.00Crategus coccinea, 1 ft 3 ft.1.00 7.50" " 3 ft 5 ft.2.00 15.00Diervilla trifida.50 3.00 25.00" " clumps.1.00 5.00 40.00Dirca, palustris, 1 ft 2 ft.1.00 7.50" " 2 ft 3 ft., heavy1.50 12.50" " 3 ft 5 ft.3.00 25.00Fagus Americana, 12 in 18 in.50 4.00 25.00" " 18 in 3 ft.75 6.00 | 5 10. – 4 10 | | | |
| " rostrata, 1 ft 3 ft | | 50 | | |
| """ 3 ft 4 ft. 1.00 5.00 40.00 Crategus coccinea, 1 ft 3 ft. 1.00 7.50 """ 3 ft 5 ft. 2.00 15.00 Diervilla trifida. 50 3.00 25.00 """ clumps. 1.00 5.00 40.00 Dirca, palustris, 1 ft 2 ft. 1.00 7.50 """ 2 ft 3 ft., heavy 1.50 12.50 """ 3 ft 5 ft. 3.00 25.00 Fagus Americana, 12 in 18 in. 50 4.00 25.00 """ 18 in 3 ft. 75 6.00 | " $3 \text{ ft.} - 4 \text{ ft.} \dots$ | 1.00 | 5.00 | 40.00 |
| Crategus coccinea, 1 ft 3 ft | rostrata, $rostrata$, $rost$ | .50 | 3.00 | 25.00 |
| """ 3 ft 5 ft. 2.00 15.00 Diervilla trifida. 50 3.00 25.00 """ clumps. 1.00 5.00 40.00 Dirca, palustris, 1 ft 2 ft. 1.00 7.50 """ 2 ft 3 ft., heavy 1.50 12.50 """ 3 ft 5 ft. 3.00 25.00 Fagus Americana, 12 in 18 in. 50 4.00 25.00 """ 18 in 3 ft. 75 6.00 | 5 16 4 16, | 1.00 | 5.00 | 40.00 |
| Diervilla trifida | Crategus coccinea, 1 ft. – 3 ft | 1.00 | 7.50 | |
| " clumps 1.00 5.00 40.00 Dirca, palustris, 1 ft 2 ft 1.00 7.50 " 2 ft 3 ft., heavy 1.50 12.50 " 3 ft 5 ft 3.00 25.00 Fagus Americana, 12 in 18 in 50 4.00 25.00 " 18 in 3 ft 75 6.00 | " $3 \text{ ft.} - 5 \text{ ft.} \dots$ | 2.00 | 15.00 | |
| Dirca, palustris, 1 ft 2 ft | Diervilla trifida | 50 | 3.00 | 25.00 |
| Dirca, palustris, 1 ft 2 ft. 1.00 7.50 " 2 ft 3 ft., heavy 1.50 12.50 " 3 ft 5 ft. 3.00 25.00 Fagus Americana, 12 in 18 in. 50 4.00 25.00 " 18 in 3 ft. 75 6.00 | " " clumps | 1.00 | 5.00 | 40.00 |
| " 2 ft 3 ft., heavy 1.50 12.50 " 3 ft 5 ft. " 3.00 25.00 Fagus Americana, 12 in 18 in 50 4.00 25.00 " 18 in 3 ft | | 1.00 | 7.50 | |
| " 3 ft 5 ft. " 3.00 25.00 Fagus Americana, 12 in 18 in 50 4.00 25.00 " 18 in 3 ft | // | | | |
| Fagus Americana, 12 in. – 18 in | · · · · · · · · · · · · · · · · · · · | | | |
| " $18 \text{ in.} - 3 \text{ ft.} \dots 75 = 6.00$ | Fagus Americana, 12 in. – 18 in | | 4.00 | 25.00 |
| | , | | | |
| | | 1.50 | 10.00 | |

| | 10 | 100 | 1000 |
|--|--------|---------|---------|
| Fagus Americana 4 ft 6 ft. stocky | \$2.00 | \$15.00 | |
| Fraxinus Americana, 1 in. – 2 ft | 50 | 3.00 | \$25.00 |
| " 2 ft 3 ft | 1.00 | 6.00 | |
| " 3 ft 4 ft | 1.25 | 10.00 | |
| " nigra, 1 ft. – 3 ft | 1.00 | 5.00 | |
| " 3 ft 4 ft | | 10.00 | |
| Gaylussacia resinosa | 50 | 3.00 | 25.00 |
| Hammamelis, 1 ft 3 ft | 50 | 4.00 | 35.00 |
| " 3 ft 5 ft | 2.00 | 15.00 | 100.00 |
| Hicoria ovata, 1 ft. – 3 ft | 1.50 | 10.00 | |
| " 3 ft 4 ft | 2.00 | 15.00 | |
| " 4 ft 6 ft | 2.50 | 20.00 | |
| Ilex glabra, 6 in. – 12 in | 1.00 | 7.50 | |
| " 1 ft2 ft. clumps with ball | 6.00 | 50.00 | |
| " opaca, 6 in. – 12 in | 1.00 | 7.00 | |
| " 1 ft 2 ft | 3.00 | 25.00 | |
| " verticillata, 1 ft. – 3 ft | 50 | 3.00 | 25.00 |
| " $3 \text{ ft.} - 5 \text{ ft.}, \text{ clumps.} \dots$ | 1.50 | 12.00 | 100.00 |
| " 3 ft 5 ft. (with berries) | 2.00 | 15.00 | 125.00 |
| Ilicioides mucronata 1 ft 3 ft | 1.00 | 4.00 | 30.00 |
| " 3 ft. – 5 ft., clumps | 2.00 | 15.00 | 100.00 |
| Juglans cinerea, 2 ft 4 ft | 1.00 | 7.50 | |
| Kalmia angustifolia | 50 | 3.00 | 25.00 |
| " glauca | 1.00 | 4.00 | 30.00 |
| " latifolia, 6 in. – 12 in | 1.00 | 6.00 | 50.00 |
| " 1 ft. – 2 ft | 3.00 | 25.00 | |
| " $2 \text{ ft.} - 3 \text{ ft.}$ with ball | 15.00 | 100.00 | |
| Myrica Carolinensis 6 – 12 in clumps | 1.50 | 10.00 | 75.00 |
| Myrica gale | 50 | 3.00 | 25.00 |
| " 2 ft. – 3 ft., clumps | 1.00 | 7.50 | 50.00 |
| Nyssa sylvatica, 1 ft. – 2 ft | 1.00 | 6.00 | |
| " 2 ft 4 ft | 2.00 | 10.00 | |
| Ostyra Virginica, 6 in. – 18 in | 50 | 3.00 | 25.00 |

| • | 10 | 100 | 1000 |
|--|--------|--------|---------------|
| Ostyra Virginica, 18 in. – 3 ft | \$0.75 | \$4.00 | \$35.00 |
| " 3 ft. – 5 ft | 1.00 | 7.00 | 50.00 |
| Populus alba, 6 in. – 2 ft | 50 | 3.00 | 25.00 |
| " 2 ft. – 4 ft | 75 | 4.00 | 35.00 |
| " grandidentata, 1 ft. – 3 ft | 50 | 3.00 | 2 5.00 |
| " 3 ft 5 ft | 1.00 | 5.00 | 40.00 |
| "tremuloides, 1 ft 3 ft | 50 | 3.00 | 25.00 |
| " $3 \text{ ft.} - 5 \text{ ft.} \dots$ | 1.00 | 5.00 | 40.00 |
| Potentilla Fruticosa, 1 ft. – 2 ft | 1.00 | 5.00 | 40.00 |
| Prunus Maritima, 1 ft. – 3 ft | 1.00 | 5.00 | |
| " Pennsylvanicum, 1 ft. $-2\frac{1}{2}$ ft | 50 | 3.00 | 2 5.00 |
| " $2\frac{1}{2}$ ft. -4 ft | 1.00 | 5.00 | 40.00 |
| " serotina, 1 ft 3 ft | 50 | 3.00 | 25.0 0 |
| " 3 ft. – 5 ft | 75 | 4.00 | 35.00 |
| " Virginiana, 1 ft 3 ft | 50 | 3.00 | 25.00 |
| " 3 ft 5 ft | 75 | 4.00 | 35.00 |
| Quercus alba, 6 in. – 18 in | 75 | 6.00 | |
| " " 18 in. – 3 ft | 1.00 | 8.00 | |
| " platanoides, 1 ft. – 3 ft | 1.00 | 8.00 | |
| " prinus, 1 ft 3 ft | 1.00 | 6.00 | |
| " 3 ft. – 4 ft | 1.25 | 10.00 | |
| " rubra, 6 in. – 18 in | 1.00 | 5.00 | |
| " 18 in. – 3 ft | 1.50 | 8.00 | |
| Rhododendron Catawbiense, 3in 6 in. | 1.50 | 10.00 | 90.00 |
| " 6 in. – 12 in. | 2.50 | 20.00 | 175.00 |
| " 1 ft2 ft. clumps | 35.00 | 250.00 | |
| " 2 ft3ft. clumps | 45.00 | 400.00 | |
| " maximum, 6 in. – 12 in | 1.00 | 7.00 | |
| " 1 ft 2 ft | 3.00 | 25.00 | |
| " 2 ft 3ft.clumps | s25.00 | 200.00 | |
| Rhodora Canadensis | 1.00 | 5.00 | |
| " clumps | 1.50 | 10.00 | |


| | 10 | 100 | 1000 |
|--|------------|--------|--------------|
| Rhus aromatica | \$1.00 | \$5.00 | \$40.00 |
| " copolina, 6 in. – 18 in | 50 | 3.00 | 25.00 |
| " $18 \text{ in.} - 3 \text{ ft.} \dots$ | 7 5 | 4.00 | 35.00 |
| " glabra, 6 in. – 18 in | 50 | 3.00 | 25.00 |
| " " 18 in. – 3 ft | 7 5 | 4.00 | 35.00 |
| " typhina, 6 in. – 18 in | 50 | 3.00 | 25.00 |
| " $18 \text{ in.} - 3 \text{ ft.} \dots$ | 75 | 4.00 | 35.00 |
| Robinia pseudacacia, 1 ft. – 2 ft | 1.00 | 5.00 | |
| " 2 ft 4 ft | 1.50 | 10.00 | |
| Rosa Carolina | 50 | 3.00 | 25.00 |
| " lucida | 50 | 3.00 | 25.00 |
| " nitida | 75 | 3.00 | 25.00 |
| " rubignosa | 1.00 | | |
| Rubus odoratus (large) | 75 | 4.00 | 30.00 |
| " villosus, 1 ft. – 3 ft | 50 | 3.00 | 25.00 |
| Salix alba, 6 in. – 18 in | 50 | 3.00 | |
| " " 18 in. – 4 ft | 75 | 5.00 | |
| " humilis | 50 | 3.00 | |
| " lucida, 1 ft. – 3 ft | 50 | 4.00 | |
| Sambucus Americana, 6 in. – 18 in | 50 | 3.00 | 25.00 |
| " $18 \text{ in.} - 3 \text{ ft.} \dots$ | 75 | 4.00 | 35.00 |
| " racemosa, 2 ft4 ft | 1.00 | | |
| Sorbus Americana, 3 ft. – 5 ft | 2.00 | 15.00 | |
| Spirea salicifolia, (small) | 50 | 3.00 | 25.00 |
| " (large) clumps | 1.00 | 5.00 | 40.00 |
| " tomentosa, (small) | 50 | 3.00 | 25.00 |
| " (large) clumps | 1.00 | 5.00 | 40.00 |
| Symphoricarpus racemosa | 50 | 4.00 | |
| Syringa vulgaris, 2-4 ft | 1.00 | 5.00 | 40.00 |
| Tilia Americana, 1 ft3 ft | 50 | 4.00 | 30.00 |
| " " 3 ft 4 ft | 1.00 | 7.50 | |
| Ulmus Americana, 6 in. – 18 in | 0.50 | 3.00 | |
| " " 10 . 00 | 75 | 4.00 | |

| *** | | 10 | 100 | 1000 |
|------------|---|--------|--------|---------|
| | • | \$1.00 | \$7.50 | |
| | corymbosum, 1 ft. – 2 ft | 1.00 | | \$50.00 |
| " | " $2 \text{ ft.} - 3 \text{ ft.}$, clumps | 3.50 | 25.00 | |
| " | " $3 \text{ ft.} - 4 \text{ ft.}$, clumps | 4.00 | 35.00 | |
| " | Pennsylvanicum, (large) | 50 | 3.00 | 25.00 |
| " | Vacillans | 50 | 3.00 | 25.00 |
| Viburnum a | acerfolium, 6 in. – 18 in | 50 | 3.00 | 25.00 |
| " | " 18 in3 ft., clumps | 1.00 | 7.50 | 60.00 |
| " | cassinoides, 6 in. – 18 in | 50 | 3.00 | 25.00 |
| " | " ◀ 18 in3 ft., clumps | 1.00 | 7.50 | 60.00 |
| " | " \(\frac{4}{2} \) 18 in 3 it., clumps \(\frac{4}{2} \) 3 ft 4 ft., clumps \(\frac{4}{2} \) 4 ft 5 ft. \(\frac{4}{2} \) | 2.00 | 15.00 | 100.00 |
| " | " [≦] 4 ft. − 5 ft., " | 2.50 | 20.00 | 150.00 |
| " | dentatum, 6 in. – 18 in | 50 | 3.00 | 25.00 |
| " | (10 ° 0 ° 1 | 1.00 | 7.50 | 60.00 |
| " | " \ \ 3 ft4 ft., " | 2.00 | 15.00 | 100.00 |
| " | " \(\frac{1}{2} \) 4 ft 5 ft., " | 2.50 | 20.00 | 150.00 |
| " | lantanoides, 6 in. – 18 in | 50 | 3.00 | 25.00 |
| " | " 18 in. – 3 ft | 1.00 | 5.00 | 40.00 |
| " | Lentago, 1 ft. – 3 ft | 75 | 4.00 | 25.00 |
| " | " ∢ 3 ft. – 4 ft., clumps | 2.00 | 15.00 | 100.00 |
| " | " # 4 ft 5 ft " " | 3.00 | | 150.00 |
| 6 : | " \(\frac{3}{4} \) ft 4 ft., clumps " \(\frac{4}{4} \) ft 5 ft " \(\frac{4}{5} \) ft 8 ft | | 30.00 | |
| " | opulus, 2 ft. – 4 ft | 1.00 | 7.50 | |
| " | prunifolium, 1 ft. – 3 ft | 1.00 | 4.00 | 35.00 |
| " | " 3 ft 4 ft | | 10.00 | |
| " | pubescens, 1 ft. – 3 ft | 1.00 | 5.00 | |
| " | " 3 ft 5 ft | | 12.00 | |

EVERGREENS.

Prices on evergreens include ball and burlap where over one foot.

| _ | - | | |
|-------------------------------|-------------|---------------|---------|
| | 10 | 100 | 1000 |
| Cupressus thyodies, 6 - 12 in | | \$3.00 | \$25.00 |
| " 1 - 2 ft | 2.00 | 17.00 | 150.00 |
| " 2 - 3 ft | 3.00 | 25.00 | |
| Juniperus communis, 6 - 12 in | 1.00 | 4.00 | 25.00 |
| " 12 - 18 in | 3.00 | 25.00 | 200.00 |
| " 18 - 24 in | 5.00 | 45.00 | 400.00 |
| " prostrata 6 - 12 in | 1.00 | 4.00 | 25.00 |
| " 12 - 18 in | 3.00 | 25.00 | 200.00 |
| " 18 - 24 in | 5.00 | 45.00 | 400.00 |
| " 24 - 30 in | 7.50 | 60.00 | 500.00 |
| " 30 - 40 in | 15.00 | 100.00 | 750.00 |
| " Virginiana, 4 - 8 in | 1.00 | 3.00 | |
| " 8 - 12 in | 1.50 | 5.00 | |
| " 1 - 2 ft | 2.50 | 20.00 | |
| " 2 - 3 ft | 5.00 | 40.00 | |
| Picea alba, 6 - 12 in | 1.00 | 4.00 | 35.00 |
| Pinus resinosa, 6 - 12 in | 1.00 | 4.00 | |
| " 1 - 2 ft | 2.50 | 20.00 | |
| " 2 - 3 ft | 5.00 | 3 5.00 | |
| " rigida, 1 - 2 ft | 2.50 | 20.00 | |
| " 2 - 3 ft | 5.00 | 35.00 | |
| Taxus Canadensis, 6 - 12 in | 1.00 | 4.00 | 30.00 |
| Thuja Occidentalis 6 – 12 in | 50 | 3.00 | 25.00 |
| " 1 – 2 ft | 2.00 | 18.00 | 150.00 |
| | | | |
| Tsuga Canadensis, 2 - 6 in | 50 | 2.00 | 15.00 |
| 0 - 12 m | 1.00 | 3.00 | 25.00 |
| " 1 - 2 ft | 2.50 | 20.00 | 150.00 |



I make a specialty of collecting Native Tree and Plant Seeds, and have collectors in different parts of the U.S.A. and can furnish almost any Native Tree or Plant Seed needed.